



List of dispatching tracks

Timetable 2023

Last updated: 1 June 2022

DB Netz AG

Headquarters

I.NBV 21

Index

1. Introduction

2. Legend of additional facilities

3. Dispatching tracks provided by DB Netz AG

1. Introduction

The following overview contains the dispatching tracks offered by the DB Netz AG. To the use of these tracks it can be necessary in individual cases to use other feeding switches or tracks. For reasons of clarity these are not a component of the following composition. For more information contact the Customer Management at the DB Netz AG Regional Units.

The kind of the binding shows the current binding from an account-technical view. There may be changes due to adaptations of the operational processes. As an infrastructure operator, DB Netz AG is permanently concerned with the maintenance and optimization of quality and circumference of her service facilities. Hence, the usage of service facilities may be limited for constructional reasons. In this case our contacts make alternative installations available to you.

Our contact persons are available for further information in the regional areas of DB Netz AG:

www.dbnetze.com/contacts.

2. Legend of additional facilities

Abbreviation	Description
BPG	stationary brake testing
DKLS	system compressed air unit compressed
DKLSS	air unit, 230 V
ELEK	shore power supply
ELS	smart shore power supply
INRA	interior cleaning facility
WVS/WVD	weighbridge
WAFS	water filling facility
WCEA	toilet effluent disposal unit
ESTH	ancilla
DRSH	turntable
MEDI	media locker
OLI	oil transfer facility
ZVHA1	electric train preheating system 50 Hz
ZVHA2	electric train preheating system 16 2/3 Hz
BESA	sand filling system
BUEH	work and cleaning stage
TAM	containment sump / cushion system
TAW	containment sump

3. Dispatching tracks provided by DB Netz AG

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
centre	Aschaffenburg Hbf	203	dispatching track8 1	double sided	787	852	0	-
centre	Bad Hönningen	4	dispatching track8 1	double sided	571	634	0	-
centre	Darmstadt Hbf	202	dispatching track8 1	double sided	690	825	0	-
centre	Frankfurt (Main) Ost	122	dispatching track8 1	single sided	300	251	0	-
centre	Frankfurt-Höchst	227	dispatching track8 1	double sided	750	833	0	-
centre	Fulda	249	dispatching track2 1	double sided	723	833	0	DKLS
centre	Fulda	350	dispatching track8 1	single sided	100	120	0	-
centre	Hanau Hbf	932	dispatching track8 1	double sided	547	566	0	DKLS
centre	Mainz Hbf	058	dispatching track8 1	double sided	475	590	0	DKLS
centre	Mainz-Bischofsheim	58	dispatching track8 1	double sided	85	101	0	-
centre	Mainz-Bischofsheim	72	dispatching track8 1	double sided	580	748	0	-
centre	Mainz-Bischofsheim	645	dispatching track8 1	double sided	602	782	0	-
centre	Mainz-Weisenau Gbf	504	dispatching track8 1	double sided	417	514	0	-
centre	Riedstadt-Goddelau	708	dispatching track8 1	double sided	745	809	0	-
east	Angermünde	143	dispatching track8 3	single sided	348	351	0	ELEK
east	Bad Kleinen	15	dispatching track8 1	double sided	550	627	0	-
east	Bad Kleinen	17	dispatching track8 1	double sided	575	615	0	-
east	Beeskow	7	dispatching track8 2	single sided	295	0	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
east	Berlin Nordost	223	dispatching track2 1	double sided	608	715	0	-
east	Berlin-Grünau	39105	dispatching track8 1	double sided	609	755	0	-
east	Berlin-Grunewald	316	dispatching track2 2	single sided	447	472	0	ELEK; ZVHA1; ZVHA2
east	Berlin-Lichtenberg	123	dispatching track8 2	single sided	170	0	0	ELEK; WAFS
east	Berlin-Moabit	443	dispatching track8 1	double sided	537	656	0	-
east	Berlin-Ruhleben	622	dispatching track8 1	double sided	361	466	0	ESTH
east	Berlin-Ruhleben	623	dispatching track8 1	double sided	296	419	0	ELEK
east	Cottbus	26-1	dispatching track8 1	double sided	679	767	0	-
east	Cottbus	73	dispatching track8 2	single sided	85	113	0	-
east	Eberswalde Hbf	113	dispatching track8 3	double sided	345	100	0	-
east	Frankfurt (Oder) Oderbrücke	23	dispatching track2 2	single sided	150	0	0	-
east	Guben	17	dispatching track8 1	double sided	593	603	0	-
east	Königs Wusterhausen	7	dispatching track8 1	double sided	410	485	0	-
east	Luckenwalde	26	dispatching track8 1	double sided	629	730	0	-
east	Michendorf	6	dispatching track8 1	double sided	640	795	0	-
east	Neubrandenburg	16	dispatching track8 1	double sided	490	670	0	-
east	Neustrelitz Hbf	10	dispatching track8 2	single sided	120	0	0	-
east	Neustrelitz Hbf	11	dispatching track8 2	single sided	490	514	0	-
east	Rostock Seehafen	664	dispatching track8 2	double sided	552	0	0	-
east	Rostock-Bramow	3	dispatching track8 1	double sided	550	988	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
east	Seddin	234	dispatching track8 2	single sided	50	74	0	-
east	Seddin Süd	531	dispatching track2 1	double sided	650	755	0	-
east	Seddin Süd	532	dispatching track2 1	double sided	650	769	0	-
east	Wittenberge	77	dispatching track8 3	single sided	370	721	0	ESTH
east	Zossen	4	dispatching track8 1	double sided	425	523	0	-
north	Bad Bentheim	19	dispatching track8 2	single sided	143	169	0	-
north	Bassum	5	dispatching track8 1	double sided	693	904	0	-
north	Brake (Unterweser)	92	dispatching track2 1	double sided	674	734	0	-
north	Braunschweig Rbf	197	dispatching track8 1	double sided	489	753	0	-
north	Celle	21	dispatching track2 1	double sided	728	865	0	-
north	Emden Hbf	7	dispatching track2 1	double sided	551	880	0	-
north	Emden Hbf	168	dispatching track8 1	double sided	645	690	0	DKLS
north	Göttingen	17	dispatching track8 2	single sided	128	152	0	ELEK
north	Göttingen	307	dispatching track8 1	double sided	670	803	0	-
north	Hamburg Unterelbe Seehafen	5	dispatching track2 1	double sided	489	551	0	-
north	Hamburg-Altona	480	dispatching track2 2	double sided	193	228	0	-
north	Hannover-Hainholz	804	dispatching track2 1	double sided	740	852	0	-
north	Helmstedt	006	dispatching track8 1	double sided	723	834	0	-
north	Kirchweyhe	24	dispatching track8 1	double sided	747	833	0	-
north	Kreiensen	55	dispatching track8 1	double sided	637	723	0	ELEK

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
north	Lehrte	315	dispatching track8 1	double sided	490	701	0	-
north	Lüneburg	152	dispatching track8 2	single sided	290	252	0	ELEK
north	Lüneburg	153	dispatching track8 2	single sided	340	276	0	ELEK
north	Meppen	13	dispatching track8 2	single sided	288	379	0	-
north	Niebüll	10	dispatching track8 2	single sided	194	0	0	ELEK
north	Nordenham	4	dispatching track8 1	double sided	375	0	0	-
north	Nordenham	9	dispatching track8 1	single sided	195	200	0	ELEK
north	Northeim (Han)	40	dispatching track8 1	single sided	315	361	0	-
north	Osnabrück Hbf	6	dispatching track8 2	double sided	83	112	0	-
north	Sande	6	dispatching track8 1	double sided	766	857	0	-
north	Uelzen	15	dispatching track8 2	single sided	102	127	0	-
south	Ansbach	7	dispatching track8 1	double sided	752	813	0	-
south	Augsburg Hbf	14R	dispatching track8 2	double sided	575	0	0	-
south	Augsburg Hbf	15	dispatching track2 1	double sided	580	678	0	-
south	Augsburg Hbf	080	dispatching track8 2	single sided	113	128	0	ELEK
south	Augsburg Hbf	825	dispatching track8 1	double sided	782	870	0	-
south	Bamberg	214	dispatching track8 2	single sided	104	140	0	ELEK
south	Dachau Bahnhof	10	dispatching track8 2	single sided	150	0	0	-
south	Dachau Bahnhof	11	dispatching track8 3	single sided	130	0	0	-
south	Freilassing	25	dispatching track8 2	single sided	130	167	0	ELEK

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
south	Fürth (Bay) Hbf	46	dispatching track8 2	double sided	182	223	0	-
south	Garching	6	dispatching track8 2	single sided	418	0	0	-
south	Gemünden (Main)	104	dispatching track8 1	double sided	634	738	0	-
south	Gemünden (Main)	105	dispatching track8 1	double sided	634	760	0	-
south	Geroldshausen	6	dispatching track8 3	single sided	109	0	0	-
south	Hof Hbf	213	dispatching track8 1	double sided	702	750	0	-
south	Ingolstadt Hbf	77	dispatching track8 2	single sided	110	0	0	-
south	Ingolstadt Hbf	105	dispatching track8 2	single sided	35	157	0	-
south	Ingolstadt Nord	13	dispatching track2 1	double sided	555	594	0	-
south	Ingolstadt Nord	14	dispatching track2 1	double sided	546	594	0	DKLS
south	Landshut (Bay) Hbf	412	dispatching track8 1	double sided	702	762	0	-
south	Landshut (Bay) Hbf	413	dispatching track8 1	double sided	742	806	0	-
south	Lauda	41	dispatching track8 2	single sided	79	132	0	-
south	München Nord Rbf	568	dispatching track8 2	double sided	60	88	0	-
south	München Ost Pbf	349	dispatching track8 2	double sided	157	0	0	ELEK
south	München Ost Pbf	541	dispatching track8 2	double sided	116	309	0	-
south	München Ost Rbf	Stump	dispatching track8 2	single sided	25	58	0	-
south	München-Riem Ubf	45	dispatching track8 1	double sided	756	840	0	ELEK
south	Nürnberg Hbf	65	dispatching track8 2	single sided	102	118	0	-
south	Nürnberg Rbf	59	dispatching track8 3	single sided	45	20	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
south	Nürnberg-Dutzendteich	308	dispatching track8 1	double sided	670	718	0	-
south	Nürnberg-Dutzendteich	356	dispatching track8 3	single sided	20	0	0	-
south	Osterhofen (Niederbay)	31	dispatching track8 2	single sided	229	0	0	-
south	Passau Hbf	141	dispatching track8 2	single sided	50	58	0	-
south	Passau Hbf	316	dispatcher track	double sided	492	733	0	-
south	Passau Hbf	317	dispatcher track	double sided	492	632	0	-
south	Passau Hbf	318	dispatcher track	double sided	568	639	0	-
south	Passau Hbf	322	dispatcher track	double sided	795	843	0	-
south	Regensburg Hbf	104	dispatching track8 2	single sided	58	108	0	ELEK
south	Regensburg Hbf	312	dispatching track8 1	double sided	605	639	0	-
south	Regensburg Hbf	313	dispatching track8 1	double sided	555	654	0	-
south	Regensburg Hbf	316	dispatching track8 1	double sided	747	889	0	-
south	Schalding	604	dispatching track8 1	double sided	644	759	0	-
south	Schweinfurt Hbf	255	dispatching track8 2	single sided	28	122	0	-
south	Würzburg Hbf	455	dispatching track8 2	single sided	48	87	0	ZVHA1; ZVHA2
southeast	Altenburg	19	dispatching track8 2	-	50	357	0	-
southeast	Bitterfeld	6759	dispatching track8 2	single sided	100	0	0	-
southeast	Bitterfeld	6872	dispatching track8 2	single sided	90	108	0	-
southeast	Blankenburg (Harz)	155	dispatching track8 2	single sided	350	0	0	-
southeast	Böhlen (b Leipzig)	6	dispatching track8 2	single sided	142	265	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
southeast	Brandenburg Hbf	1155	dispatching track8 3	single sided	216	0	0	-
southeast	Dornreichenbach	6	dispatching track8 1	double sided	695	834	0	-
southeast	Dresden-Friedrichstadt	208	dispatching track8 1	double sided	548	720	0	-
southeast	Eilenburg	19	dispatching track8 2	single sided	74	119	0	-
southeast	Eisenach	87	dispatching track8 3	single sided	135	202	0	WAFS
southeast	Engelsdorf (b Leipzig)	6	dispatching track8 1	double sided	470	556	0	-
southeast	Engelsdorf (b Leipzig)	86	dispatching track8 1	double sided	510	611	0	-
southeast	Engelsdorf (b Leipzig)	98	dispatching track8 2	single sided	20	0	0	-
southeast	Engelsdorf (b Leipzig)	99	dispatching track8 2	single sided	67	0	0	-
southeast	Engelsdorf (b Leipzig)	100	dispatching track8 2	single sided	120	211	0	-
southeast	Engelsdorf (b Leipzig)	124	dispatching track8 1	double sided	580	653	0	-
southeast	Falkenberg (Elster)	22N	dispatching track8 2	single sided	75	120	0	-
southeast	Güsen (Kr Genthin)	2506	dispatching track8 1	double sided	695	841	0	-
southeast	Leinefelde	204	dispatching track8 2	single sided	210	50	0	-
southeast	Leipzig-Plagwitz	14	dispatching track8 2	single sided	60	102	0	-
southeast	Magdeburg Hbf	45	dispatching track8 2	single sided	198	230	0	ELEK
southeast	Magdeburg-Rothensee	E2	dispatching track8 2	single sided	548	605	0	-
southeast	Magdeburg-Rothensee	E9	dispatching track8 3	single sided	530	570	0	-
southeast	Merseburg Gbf	4174	dispatching track8 2	single sided	100	137	0	-
southeast	Nordhausen	15	dispatching track8 2	single sided	650	680	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
southeast	Nordhausen	22N	dispatching track8 2	single sided	90	109	0	-
southeast	Pirna	145	dispatching track2 1	double sided	522	695	0	-
southeast	Senftenberg	39	dispatching track8 1	double sided	300	180	0	-
southeast	Stendal	612	dispatching track8 3	single sided	103	0	0	-
southwest	Aalen	210	dispatching track8 1	single sided	150	234	0	-
southwest	Aalen	231	dispatching track8 1	double sided	143	161	0	-
southwest	Aulendorf	255	dispatching track8 3	single sided	82	0	0	ELEK
southwest	Aulendorf	256	dispatching track8 3	single sided	104	0	0	ELEK
southwest	Basel Bad Rbf	207	dispatching track8 1	double sided	579	604	0	-
southwest	Bietigheim-Bissingen	54	dispatching track8 2	single sided	365	0	0	-
southwest	Bietigheim-Bissingen	55	dispatching track8 2	single sided	387	0	0	-
southwest	Efringen-Kirchen	101	dispatching track8 1	double sided	390	553	0	-
southwest	Geislingen (Steige)	30	dispatching track8 2	single sided	40	64	0	-
southwest	Hausach	5	dispatching track8 1	double sided	580	644	0	-
southwest	Karlsruhe Gbf	209	dispatching track8 1	double sided	670	809	0	-
southwest	Karlsruhe Hbf	447	dispatching track8 2	single sided	82	94	0	-
southwest	Karlsruhe Hbf	489	dispatching track8 2	single sided	59	88	0	-
southwest	Karlsruhe West	103	dispatching track8 2	double sided	373	388	0	-
southwest	Karlsruhe West	109	dispatching track8 1	single sided	338	432	0	-
southwest	Karlsruhe West	128	dispatching track8 3	single sided	64	394	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
southwest	Kornwestheim Rbf	066	dispatching track8 2	single sided	65	184	0	-
southwest	Mannheim Industriehafen	203	dispatching track8 1	double sided	490	538	0	-
southwest	Mannheim Rbf	M 513	dispatching track8 2	single sided	45	64	0	ELEK
southwest	Mannheim Rbf	P 54	dispatching track8 2	double sided	88	193	0	-
southwest	Mannheim-Waldhof	19	dispatching track8 1	double sided	455	712	0	-
southwest	Mannheim-Waldhof	24a	dispatching track8 2	single sided	172	194	0	-
southwest	Mengen	5	dispatching track8 1	double sided	380	0	0	-
southwest	Offenburg Gbf	602	dispatching track8 1	double sided	807	997	0	-
southwest	Offenburg Gbf	612	dispatching track8 1	double sided	530	668	0	-
southwest	Plochingen	16	dispatching track8 2	single sided	179	251	0	-
southwest	Rottweil	57	dispatching track8 3	single sided	236	322	0	-
southwest	Saarbrücken Rbf	125	dispatching track8 3	double sided	705	713	0	-
southwest	Saarbrücken Rbf	215	dispatching track8 2	single sided	120	153	0	ELEK
southwest	Stuttgart Hbf	612	dispatching track8 2	double sided	210	301	0	DKLS; WAFS
southwest	Stuttgart Hbf	652	dispatching track8 2	double sided	154	189	0	-
southwest	Stuttgart-Untertürkheim	526	dispatching track8 1	double sided	440	502	0	-
southwest	Sulzbach (Saar)	3	dispatching track8 1	double sided	583	624	0	-
southwest	Titisee	5	dispatching track8 3	single sided	200	0	0	-
southwest	Tübingen Gbf	104	dispatching track8 1	single sided	540	767	0	-
southwest	Villingen (Schwarzw)	41b	dispatching track8 3	single sided	30	0	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
southwest	Villingen (Schwarzw)	62	dispatching track8 3	single sided	110	197	0	-
southwest	Weil am Rhein	25	dispatching track8 2	single sided	90	200	0	-
west	Aachen West	13	dispatcher track	double sided	777	887	0	-
west	Aachen West	14	dispatcher track	double sided	737	833	0	-
west	Aachen West	21	dispatcher track	double sided	590	757	0	-
west	Aachen West	22	dispatcher track	double sided	718	781	0	-
west	Aachen West	23	dispatcher track	double sided	700	776	0	-
west	Aachen West	24	dispatcher track	double sided	960	1132	0	-
west	Aachen West	44	dispatcher track	double sided	511	683	0	-
west	Aachen West	45	dispatcher track	single sided	461	579	0	-
west	Aachen West	46	dispatcher track	double sided	515	616	0	-
west	Aachen West	120	dispatcher track	double sided	51	115	0	-
west	Ahlen (Westf)	9	dispatching track8 1	double sided	825	867	0	-
west	Baal	4	dispatching track8 1	double sided	648	762	0	-
west	Dortmund-Mengede	7	dispatching track2 1	double sided	539	744	0	-
west	Dortmund-Mengede	8	dispatching track2 1	double sided	574	646	0	-
west	Dortmund-Mengede	9	dispatching track8 1	double sided	537	607	0	-
west	Dortmund-Mengede	10	dispatching track8 1	double sided	492	554	0	-
west	Duisburg-Ruhrort Hafen	162	dispatcher track	single sided	530	0	0	-
west	Duisburg-Ruhrort Hafen	228	dispatcher track	single sided	550	565	0	-
west	Duisburg-Ruhrort Hafen	229	dispatcher track	double sided	500	539	0	-
west	Duisburg-Ruhrort Hafen	230	dispatcher track	double sided	500	534	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
west	Duisburg-Ruhrort Hafen	238	dispatcher track	double sided	480	537	0	-
west	Duisburg-Ruhrort Hafen	247	dispatcher track	double sided	630	0	0	-
west	Hilden	6	dispatching track8 1	double sided	632	757	0	-
west	Hilden	7	dispatching track8 1	double sided	612	843	0	-
west	Köln Eifelort	10	dispatcher track	double sided	711	821	0	-
west	Köln Eifelort	11	dispatcher track	double sided	653	736	0	-
west	Köln Eifelort	12	dispatcher track	single sided	402	474	0	-
west	Köln Eifelort	16	dispatcher track	double sided	533	641	0	-
west	Köln Eifelort	18	dispatcher track	double sided	512	610	0	-
west	Köln Eifelort	77	dispatcher track	double sided	682	239	0	-
west	Köln Eifelort	165	dispatcher track	double sided	490	806	0	DKLS
west	Köln Eifelort	167	dispatcher track	double sided	587	619	0	DKLS
west	Köln Eifelort	204	dispatcher track	double sided	547	781	0	-
west	Köln-Kalk Nord	6	dispatcher track	double sided	475	535	0	-
west	Köln-Kalk Nord	10	dispatcher track	double sided	751	825	0	-
west	Köln-Kalk Nord	14	dispatcher track	double sided	587	660	0	-
west	Köln-Kalk Nord	76	dispatcher track	single sided	155	0	0	-
west	Köln-Kalk Nord	85	dispatcher track	double sided	544	609	0	DKLS
west	Köln-Kalk Nord	102	dispatcher track	double sided	595	646	0	-
west	Köln-Kalk Nord	174	dispatcher track	double sided	720	872	0	-
west	Köln-Kalk Nord	189	dispatcher track	double sided	650	710	0	-
west	Köln-Kalk Nord	191	dispatcher track	double sided	602	666	0	-
west	Köln-Kalk Nord	192	dispatcher track	double sided	680	752	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
west	Köln-Kalk Nord	193	dispatcher track	double sided	632	698	0	DKLS
west	Köln-Kalk Nord	200	dispatcher track	double sided	530	656	0	-
west	Köln-Kalk Nord	228	dispatcher track	single sided	20	0	0	-
west	Köln-Kalk Nord	229	dispatcher track	single sided	40	0	0	-
west	Oberhausen West	43	dispatcher track	double sided	573	687	0	DKLS
west	Oberhausen West	44	dispatcher track	double sided	575	816	0	DKLS
west	Oberhausen West	45	dispatcher track	single sided	582	773	0	DKLS
west	Oberhausen West	47	dispatcher track	double sided	705	904	0	-
west	Oberhausen West	48	dispatcher track	single sided	637	723	0	-
west	Oberhausen West	49	dispatcher track	double sided	555	656	0	-
west	Oberhausen West	50	dispatcher track	double sided	526	601	0	-
west	Oberhausen West	51	dispatcher track	double sided	495	643	0	-
west	Oberhausen West	52	dispatcher track	double sided	577	720	0	-
west	Oberhausen West	57	dispatcher track	double sided	447	566	0	-
west	Oberhausen West	59	dispatcher track	double sided	493	556	0	-
west	Oberhausen West	64	dispatcher track	double sided	693	756	0	-
west	Oberhausen West	66	dispatcher track	single sided	591	748	0	-
west	Oberhausen-Osterfeld Süd	406	dispatcher track	double sided	776	866	0	DKLS
west	Oberhausen-Osterfeld Süd	407	dispatcher track	double sided	836	957	0	-
west	Remscheid-Lüttringhausen	3	dispatching track8 3	double sided	420	0	0	-
west	Siegen-Geisweid	503+	dispatching track8 1	double sided	506	656	0	-
west	Siegen-Geisweid	504+	dispatching track8 1	double sided	440	580	0	-
west	Wesel	7	dispatching track8 1	double sided	525	615	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities
west	Wickede (Ruhr)	203	dispatching track8 1	double sided	496	0	0	-

Imprint

DB Netz AG

Product- and Pricemanagement

Adam-Riese-Straße 11-13

D-60327 Frankfurt am Main

Subject to change

No responsibility accepted for the
correctness of any item of information

Last updated: 1 June 2022

https://fahrweg.dbnetze.com/fahrweg-en/customers/services/facilities/facility_products